

5 **Amendments to the Claims:**

This listing of claims will replace the listing of claims in the application.

LISTING OF CLAIMS:

1. (currently amended) A reflector Refleeter device (300) for a motor vehicle headlight, the reflector device having a reflector element {301} which comprises an internal reflective surface {310}, an external surface {309}, and an opening {315} on a rear portion of the reflector element {301} for the insertion of a light source, ~~characterized in that the reflector device (300) comprises further comprising~~ a lamp holder element {302} which is interlocked with the reflector element {301} by means of a set of supports {303; 303; 305}, the said supports {303; 304; 305} being arranged so as to create an open space {308} between the lamp holder element {302} and the reflector element {301}, at least one of the said supports bearing on a base {311} of the reflector element {301}, the said base {311} being distinct from the external surface {309} of the reflector element {301}.
2. (currently amended) A reflector Refleeter devise (300) according to claim 1, wherein the preceding claim, characterized in that the reflector element {301} and the set of supports {303; 304; 305} are made of the same material and during the same moulding operation.
3. (currently amended) A reflector Reflector device (300) according to claim 1, wherein the preceding claims, characterized in that the set of supports is comprised of comprises at least two support columns.

5 4. (currently amended) A reflector Reflector device (300) according to claim 1,
~~wherein at least one of the preceding claims, characterized in that the set of supports~~
~~(303; 304; 305) is comprised of~~comprises three support columns.

10 5. (currently amended) A reflector Reflector device (300) according to claim 3,
~~wherein at least one of claims 3 or 4, characterized in that the support columns (303; 304;~~
~~305) have a first end (307) for holding the lamp holder element (302) in position, and a~~
~~second end (306) which at least partially matches the shape of the external surface (309)~~
~~of the reflector element (301).~~

15 6. (currently amended) A reflector Reflector device (300) according to claim 5
~~wherein the preceding claim, characterized in that the second end (306) of at least one~~
~~support column (303; 304; 305) is elongated to bear a base (311) of the reflector element~~
~~(301), the said base (311) being distinct from the external surface (309) of the reflector~~
~~element (301).~~

20

7. (currently amended) A reflector Reflector device (300) according to claim 6,
~~wherein the preceding claim, characterized in that the base (311) of the reflector element~~
~~(301) is contained in an output-end plane of the reflector device (300).~~

25 8. (currently amended) A reflector Reflector device (300) according to claim 3,
~~wherein at least one of claims 3 to 7, characterized in that at least one support column~~
~~(303; 304; 305) comprises a central reinforcement element (312).~~

5 9. (currently amended) A reflector Reflector device (300) according to claim 3,
wherein at least one of claims 3 to 8, characterized in that at least one support column
~~{303; 304; 305}~~ comprises an interior reinforcement element {313}.

10 10. (currently amended) A reflector Reflector device (300) according to claim 3,
wherein at least one of claims 3 to 9, characterized in that a first column {304} and a
second column {305} have an elongated shape, respectively defining a first support plane
and a second support plane of the lamp element {302}, the first support plane and the
second support plane overlapping.

15 11. (currently amended) A reflector Reflector device (300) according to claim 10
wherein the preceding claim, characterized in that a third column {303} has an elongated
shape, defining a third support plane of the lamp holder element {302}, the third support
plane being perpendicular to the first support plane.

20 12. (currently amended) A reflector Reflector device (300) according to claim 11,
wherein at least one of the preceding claims, characterized in that the interlocking of the
lamp holder element {302} and reflector element {301} is permanent.

25 13. (currently amended) A reflector Reflector device (300) according to claim 5,
wherein at least one of claims 5 to 12, characterized in that the first end {307} of each
support column {303, 304, 305} comprises a positioning pin {316} which is intended to be
inserted receivable in an opening provided for this purpose in the lamp holder element
{302}.

5 14. (currently amended) A reflector Reflector device (300) according to claim 5,
wherein at least one of claims 5 to 13, characterized in that the first end (307) of each
support column (303, 304; 305) comprises a centering and retaining stud (317) which is
intended to be inserted receivable in an opening provided for this purpose in the lamp
holder element (302), the lamp holder element (302) being held in position by snapping of
10 the centering and retaining stud (317) on to this lamp holder element (302).

15. (currently amended) A reflector Reflector device (300) according to claim 14,
wherein at least one of the preceding claims, characterized in that the reflector element
(301) and the set of supports (303; 304, 305) are made from aluminium or from an
15 aluminium-based alloy.

16. (currently amended) A reflector Reflector device (300) according to claim 15,
wherein at least one of the preceding claims, characterized in that the lamp holder element
(302) is made from an alloy of zinc and aluminium, or from a zinc-and-aluminium-based
20 alloy.

17 (cancelled)

5 **REPLACEMENT ABSTRACT**

Applicant: ~~VALEO VISION~~

Title: ~~Reflector device for motor vehicle headlight~~

Inventor: ~~Jean Francois DELOURME~~

ABSTRACT

- 10 The present invention relates to a reflector device ~~(300)~~ which provides for good ventilation of a light source located in the said reflector device and facilitates the passage of the reflector ~~device~~ on production lines for the purpose of covering an internal surface ~~(310)~~ of the reflector ~~device~~ with powder. To this end, there is proposed according to the invention a reflector ~~device~~ in which a reflector ~~element~~ ~~(301)~~ and a lamp holder ~~element~~
- 15 ~~(302)~~ are produced separately, prior to being interlocked. The reflector ~~element~~ ~~(301)~~ produced thus comprises a set of supports ~~(303; 304; 305)~~ which are arranged such that a light source subsequently fitted in the reflector ~~device~~ ~~(300)~~ can be ventilated in a satisfactory manner. The lamp holder ~~element~~ ~~(302)~~ is interlocked with the reflector ~~element~~ ~~(301)~~ on the supports by means of centering pins ~~(315)~~ and assembly studs
- 20 ~~(317)~~.

Figure 6

5 **REMARKS**

The claims have been amended to better describe the invention, eliminate character references and eliminate multiple dependent claims. No new matter has been added to the application as a result of this amendment.

The Commissioner is hereby authorized to charge any additional fees which may
10 be required for this amendment, or credit any overpayment to Deposit Account No. 13-4500,
Order No. 1948-4813.


Respectfully submitted,

MORGAN & FINNEGAN, L.L.P.

Dated: August 6 , 2003

15

By:


Joseph A. Calvaruso
Registration No.: 28,287

Mailing Address:

MORGAN & FINNEGAN, L.L.P.
345 Park Avenue
20 New York, New York, 10154
(212)748-4800 Telephone
(212)751-6849 Facsimile